



CYRUS 2.0 LUXURY VINYL PLANK COLLECTION

The Cyrus 2.0™ Luxury Vinyl Plank Collection offers elegance and sophistication with an authentic wood appearance. This 7x48 wood-look LVP is 100% waterproof and protected with CrystaLux Ultra™, a protective layer that provides ultimate durability and longevity, protecting against everyday wear and tear making it the ultimate worry-free flooring solution. It features an innovative pre-attached backing to ensure supreme comfort underfoot and an easy-install locking system. This rigid core flooring features “no acclimation” technology that enables buy today, install today convenience. In the kitchen, living area, bathroom, basement and beyond, there’s no easier way to create luxurious, affordable floors in residential or commercial settings. Cyrus 2.0™ products come with a limited lifetime residential, 15-year limited light commercial, and 10-year limited commercial warranty.



Akadia

VTRAKADIA7X48-5MM-20MIL



Austell Grove

VTRAUSGRO7X48-5MM-20MIL



Braly

VTRBRALY7X48-5MM-20MIL



Chester Hills

VTRCHEHIL7X48-5MM-20MIL



Fauna

VTRFAUNA7X48-5MM-20MIL

Finely

VTRFINELY7X48-5MM-20MIL

Katella Ash

VTRKATASH7X48-5MM-20MIL

Lenexa Creek

VTRLENCRE7X48-5MM-20MIL



Ludlow

VTRLUDLOW7X48-5MM-20MIL

Mezcla

VTRMEZCLA7X48-5MM-20MIL

Runmill Isle

VTRRUNISL7X48-5MM-20MIL

Sandino

VTRSANDIN7X48-5MM-20MIL



Valleyview Grove

VTRVALGRO7X48-5MM-20MIL

Whitfield Gray

VTRWHTGRA7X48-5MM-20MIL

ASTM (E492-09 / ASTM 989-06) : 72 - drop ceiling / 54 - 6" slab

ASTM D2047 (Coefficient Of Friction) : ≥0.6 (Dry)

ASTM E2179 (Impact Sound Reductions) : Δ IIC ≥ 26 dB

ASTM F1514 (Heat Stability) : Passes

ASTM F1914 (Residual Indentation) : Passes (PSI Equivalent > 5,000 lbs.)

ASTM F925 (Resistance To Chemicals) : Passes

Backsplash : Matching Exterior Pavers Available

Certifications : FloorScore & Greenguard

ASTM 648 (Radiant Panel) : >0.45 watts/CM2, NFPA Class 1

ASTM D5116 (VOC Requirements) : Passes < 100 mg/m

ASTM E662 (Nbs Smoke) : <450

ASTM F1515 (Light Stability) : Passes

ASTM F2199 (Dimensional Stability) : Passes

Backing Type : 1MM IXPE

Bevel : Standard

Click Type : Patented Locking System

Color : Blonde, Brown, Gray-Dark, Gray-Light

Edge Type : Clean Cut

Finish : Matte

LVT Type : Rigid Core

Phillips Castor Chair @ 100 Lbs. : Passes @
25,000 cycles

Radiant Heating [View](#)

Series Name : Cyrus 2.0

Size Category : Pavers, Plank

Texture : Standard Wood Grain

Tile Type : Rigid Core

Vinyl Trim : Vinyls Trim

Wear Layer : 20MIL

Zero Acclimation : Yes

Core Thickness : 4MM

Enhanced Beveled Edges : No

Indoor-Outdoor : Matching Exterior Pavers
Available

Material Type : Lvt

Primary Installation Type : Float Click

Scratch/Scuff/Abrasion Properties : Very Good

Size : 0.64"x0.75"x94", 1.5"x0.25"x94",
1.77"x0.28"x94", 1.77"x0.345"x94",
12"x1.25"x47.25", 2.23"x1.03"x94", 2.75" x 0.75" X
94" , 7x48, 8x47

Style : Wood

Thickness : 5MM

Type : 100% Waterproof Rigid Core

Warranty : Lifetime Limited Residential, 15-Year
Limited Light Commercial, 10-Year Limited
Commercial

With Pre-Attached : Engineered Pad